



Parts Specialist. Solutions Driven.



BRIC

Breathable & Robust Interconnection Center

www.chiefent.com

© 2023 Chief Enterprises LLC



Competitive Advantages

The BRIC mini is a compact and cost effective way to house plug-in 280 style automotive components such as ATM fuses, Micro relays, ATM circuit breakers, and other critical components in an environmentally sealed enclosure. It features 12 cavities, multiple cover variations, and a hydrophobic vent.

| BRIC mini Component | Part Number |
|---|--------------|
| Base, Long Arm, Breather | C2051 |
| Base, Standard Arm, Breather | C2052 |
| Base, Long Arm, Breather, Rotated Cavities 6 & 12 | C2055 |
| Base, Standard Arm, Breather, Rotated Cavities 6 & 12 | C2056 |
| Cover, Standard Height | P908 |
| Cover, Low Height | P917 |
| TPA | P952 |
| Tether, 88 mm | P954 |
| Tether, 110 mm | P1034 |
| Double Head Fir Tree Clip | 08800309-A03 |
| Round Fir Tree Clip | 12110783 |
| EWCAP Fir Tree Clip | 151-01108 |

Reference QR code on Pg. 11 for Technical Data

Standard Features:

- IP67 & IP69K Environmentally Sealed
- Tool-Free Installation
- Extremely Compact Footprint
- Base Mounting to Alleviate Strain on Seal
- EWCAP Clip Compatible
- Uses Industry Preferred TE MCP 2.8 Terminals
- Squeeze & Pull Cover Removal for Easy Service
- Component Retention Built into Cover

Optional:

- Hydrophobic Vent
- TPA - Terminal Position Assurance
- Rotated Cavities in Certain Configurations
- Supplemental Component Retention
- Extended/Custom Arm Mounting
- Brand/Private Labeled Cover
- Tether

***Consult Chief for additional details**



Specifications

| | |
|-----------------------------------|------------------------------|
| Dimensions: | 52.4 x 28.7 x 51.2 mm |
| Number of Cavities: | 12 |
| Mounting: | M6 Steel Threads |
| Temperature Range: | -40 to 125 ° C Ambient |
| Ingress Protection Rating: | IP67 Water & Dust Protection |
| Terminal System(s): | TE MCP 2.8 |




Order Online: www.chiefent.com

Call: 1-630-530-1224

Configurations & Covers

Count on Chief Enterprises for customized components engineered to your specifications. We can deliver pre-assembled parts ready for you to install.


Configurations



Long Arm, Breather



Standard Arm, Breather



Long Arm, Breather & Rotated Cavity 6 & 12



Standard Arm, Breather & Rotated Cavity 6 & 12

Cover Options



Standard Height Cover



Low Height Cover

BRIC 280 & Fusion Applications



Powersports



Agricultural



RVs & Bus



Marine



Construction & Forestry



Medium & Heavy-Duty Trucks



Power Gen



Specialty Vehicles



Powersports



Agricultural



Construction & Forestry

BRIC mini Applications



Call Toll Free: 1-800-831-7294

Email: sales@chiefent.com

Check out the BRIC mini